ELSEVIER

Thermochimica Acta 264 (1995) 231

thermochimica acta

Author index

Arena, G. 1

Beezer, A.E. 27
Bhattacharya, U. 219
Bogdanic, G. 125

Chickos, J.S. 13
Comelli, F. 95
Contino, A. 1
Curini, R. 75

D'Ascenzo, G. 75
Darshane, V.S. 219

Fitzner, K. 113
Fleš, D. 125
Francesconi, R. 95

Gajbhiye, N.S. 219
Grejták, F. 193

Karasz, F.E. 125
Kim, S. 137
Kinoshita, R. 173
Komadel, P. 193
Krajčovič, J. 193
Kudryavtzev, V.Yu. 211

Langbein, H. 67
Lapteva, L.I. 211
Lombardo, G.G. 1

MacKnight, W.J. 125
Magri, A.D. 75
Materazzi, S. 75
Minchev, C. 59
Mintova, S. 59
Mitchell, J.C. 27
Murthy, B.V.R. 185

Ovchinnikov, V.V. 211

Park, J.K. 137
Patwe, S.J. 205
Polomark, G.M. 157
Przybylo, W. 113

Ramachandran, V.S. 157
Rao, U.R.K. 205
Ray, H.S. 185
Reddy, B.R. 185

Sciotto, D. 1
Šegudović, N. 125
Sobanov, A.A. 211
Sternberg, M.J.E. 13
Swamy, Y.V. 185

Teramoto, Y. 173

Valtchev, V. 59
Vukovic, R. 125

Wölki, G. 67
Wilson, R.J. 27
Wise, T. 157
Wisniak, J. 105
Witusiewicz, V.T. 41

Yoshida, H. 173

ELSEVIER

Thermochimica Acta 264 (1995) 233–236

thermochimica acta

Subject index

Acid sites
Thermogravimetric studies on temperature programmed desorption of probe molecules from dealuminated clinoptilolite 193
Analysis
TG-FTIR coupled analysis applied to the studies in urolithiasis: characterization of human renal calculi 75
Aqueous solution
Water-soluble calix[6]arenes. Characterization of 5,11,17,23,29,35-hexasulphonate-37,38,39,40,41,42-hexahydroxycalix[6]arene and thermodynamic study of proton complex formation 1
Ascorbic acid
A kinetic study of the oxidation of L-ascorbic acid (vitamin C) in solution using an isothermal microcalorimeter 27

Blends copolymer
Phase behaviour in copolymer blends of phenylsulphonylated poly(2,6-dimethyl-1,4-phenylene oxide) and poly(*o*-fluorostyrene-co-*p*(*o*)-chlorostyrene) 125

Calculi
TG-FTIR coupled analysis applied to the studies in urolithiasis: characterization of human renal calculi 75
Calixarenes
Water-soluble calix[6]arenes. Characterization of 5,11,17,23,29,35-hexasulphonate-37,38,39,40,41,42-hexahydroxycalix[6]arene and thermodynamic study of proton complex formation 1
Calorimetry
The effect of thiocyanates on the hydration of portland cement at low temperatures 157
Water-soluble calix[6]arenes. Characterization of 5,11,17,23,29,35-hexasulphonate-37,38,39,40,41,42-hexahydroxycalix[6]arene and thermodynamic study of proton complex formation 1
Carbonate–ketone mixtures
Excess molar enthalpies of binary mixtures containing dimethyl carbonate or diethyl carbonate and one of six methyl *n*-alkyl ketones Application of an extended cell model 95
Cement paste
The effect of thiocyanates on the hydration of portland cement at low temperatures 157
Chrome ore
Correlation of nickel extraction with iron reduction in oxidic nickel ore by a thermogravimetric method 185
Chromite overburden
Correlation of nickel extraction with iron reduction in oxidic nickel ore by a thermogravimetric method 185
Clinoptilolite
Thermogravimetric studies on temperature programmed desorption of probe molecules from dealuminated clinoptilolite 193
Complexation
Thermochemistry of heteroatomic compounds. Part 6. Enthalpy of solvation and complex formation of some halides of three-coordinated phosphorus compounds in pyridine 211
Copper niobates
Preparation of copper niobates by thermal decomposition of freeze-dried complex oxalate solutions 67
Cu–Nb-oxalate precursor
Preparation of copper niobates by thermal decomposition of freeze-dried complex oxalate solutions 67
$Cu_2Y_2O_5$
Gibbs free energy of formation of the solid phases $Cu_2Y_2O_5$ and $CuYO_2$ determined by the E.M.F. method 113
$CuYO_2$
Gibbs free energy of formation of the solid phases $Cu_2Y_2O_5$ and $CuYO_2$ determined by the E.M.F. method 113

Dealumination
Thermogravimetric studies on temperature programmed desorption of probe molecules from dealuminated clinoptilolite 193
Diammonium lithium oxyfluoro vanadate (DALOFV)
Mode of thermal decomposition of diammonium lithium oxyfluoro vanadate (DALOFV) and diammonium rubidium oxyfluoro vanadate (DAROFV) 205
Diammonium rubidium oxyfluoro vanadate (DAROFV)
Mode of thermal decomposition of diammonium lithium oxyfluoro vanadate (DALOFV) and diammonium rubidium oxyfluoro vanadate (DAROFV) 205
DSC
Development of the simultaneous thermal analysis/X-ray scattering measurement system 173
Phase behaviour in copolymer blends of phenylsulphonylated poly(2,6-dimethyl-1,4-phenylene oxide) and poly(*o*-fluorostyrene-co-*p*(*o*)-chlorostyrene) 125
DTG
Characterization of thermal reaction by peak temperature and height of DTG curves 137

EMF
Gibbs free energy of formation of the solid phases $Cu_2Y_2O_5$ and $CuYO_2$ determined by the E.M.F. method 113
Enthalpy of solvation
Thermochemistry of heteroatomic compounds. Part 6. Enthalpy of solvation and complex formation of some halides of three-coordinated phosphorus compounds in pyridine 211
Estimations
A test of the applicability of small-molecule group additivity parameters in the estimation of fusion entropies of macromolecules 13
Excess entropy
Thermodynamics of binary and ternary melts of the 3d transition metals (Cr, Mn, Fe, Co and Ni) with boron 41

Ferrite
Thermal decomposition of zinc–iron citrate precursor 219
Flow microcalorimeter
Excess molar enthalpies of binary mixtures containing dimethyl carbonate or diethyl carbonate and one of six methyl *n*-alkyl ketones Application of an extended cell model 95
Fusion enthalpy
A test of the applicability of small-molecule group additivity parameters in the estimation of fusion entropies of macromolecules 13
Fusion entropy
A test of the applicability of small-molecule group additivity parameters in the estimation of fusion entropies of macromolecules 13

Gibbs energy
Gibbs free energy of formation of the solid phases $Cu_2Y_2O_5$ and $CuYO_2$ determined by the E.M.F. method 113
Gibbs energy
Thermodynamics of binary and ternary melts of the 3d transition metals (Cr, Mn, Fe, Co and Ni) with boron 41
Glass-forming ability
Thermodynamics of binary and ternary melts of the 3d transition metals (Cr, Mn, Fe, Co and Ni) with boron 41

Halide
Thermochemistry of heteroatomic compounds. Part 6. Enthalpy of solvation and complex formation of some halides of three-coordinated phosphorus compounds in pyridine 211
Hydration
The effect of thiocyanates on the hydration of portland cement at low temperatures 157

IR
Thermal decomposition of zinc–iron citrate precursor 219
Iron reduction
Correlation of nickel extraction with iron reduction in oxidic nickel ore by a thermogravimetric method 185
Isoperibolic calorimeter
Thermodynamics of binary and ternary melts of the 3d transition metals (Cr, Mn, Fe, Co and Ni) with boron 41
Isothermal microcalorimetry
A kinetic study of the oxidation of L-ascorbic acid (vitamin C) in solution using an isothermal microcalorimeter 27

Kinetic parameters
A kinetic study of the oxidation of L-ascorbic acid (vitamin C) in solution using an isothermal microcalorimeter 27
Characterization of thermal reaction by peak temperature and height of DTG curves 137

Kinetics
Thermal analysis of the crystallization of SAPO-5 59

Laterites
Correlation of nickel extraction with iron reduction in oxidic nickel ore by a thermogravimetric method 185
Low temperature
The effect of thiocyanates on the hydration of portland cement at low temperatures 157

Mass spectrometry
Preparation of copper niobates by thermal decomposition of freeze-dried complex oxalate solutions 67
Mechanism of reaction
A kinetic study of the oxidation of L-ascorbic acid (vitamin C) in solution using an isothermal microcalorimeter 27
Mixing enthalpy
Thermodynamics of binary and ternary melts of the 3d transition metals (Cr, Mn, Fe, Co and Ni) with boron 41
Molar enthalpies
Excess molar enthalpies of binary mixtures containing dimethyl carbonate or diethyl carbonate and one of six methyl *n*-alkyl ketones Application of an extended cell model 95
Molecular interactions
Excess molar enthalpies of binary mixtures containing dimethyl carbonate or diethyl carbonate and one of six methyl *n*-alkyl ketones Application of an extended cell model 95

Nickel extraction
Correlation of nickel extraction with iron reduction in oxidic nickel ore by a thermogravimetric method 185

Partially phenylsulphonylated poly(2,6-dimethyl-1,4-phenylene oxide (SPPO)
Phase behaviour in copolymer blends of phenylsulphonylated poly(2,6-dimethyl-1,4-phenylene oxide) and poly(*o*-fluorostyrene-co-*p*(*o*)-chlorostyrene) 125
Particle size
Thermal decomposition of zinc–iron citrate precursor 219
Peak height
Characterization of thermal reaction by peak temperature and height of DTG curves 137
Peak temperature
Characterization of thermal reaction by peak temperature and height of DTG curves 137
Phase analysis
Preparation of copper niobates by thermal decomposition of freeze-dried complex oxalate solutions 67
Phase behavior poly(*o*-fluorostyrene-co-p(*o*)-chlorostyrene
Phase behaviour in copolymer blends of phenylsulphonylated poly(2,6-dimethyl-1,4-phenylene oxide) and poly(*o*-fluorostyrene-co-*p*(*o*)-chlorostyrene) 125
Phosphorous
Thermochemistry of heteroatomic compounds. Part 6. Enthalpy of solvation and complex formation of some halides of three-coordinated phosphorus compounds in pyridine 211
Polymers
A test of the applicability of small-molecule group additivity parameters in the estimation of fusion entropies of macromolecules 13
Precursor
Thermal decomposition of zinc–iron citrate precursor 219
Pyridine
Thermochemistry of heteroatomic compounds. Part 6. Enthalpy of solvation and complex formation of some halides of three-coordinated phosphorus compounds in pyridine 211

Redlich–Kister equation
Vapor–liquid equilibria in the ternary system 1-bromopropane + 1-chlorobutane + cyclohexane 105

SAPO-5 crystallization
Thermal analysis of the crystallization of SAPO-5 59
Stability constants
Water-soluble calix[6]arenes. Characterization of 5,11,17,23,29,35-hexasulphonate-37,38,39,40,41,42-hexahydroxycalix[6]arene and thermodynamic study of proton complex formation 1
Strength
The effect of thiocyanates on the hydration of portland cement at low temperatures 157
Synthesis
Mode of thermal decomposition of diammonium lithium oxyfluoro vanadate (DALOFV) and diammonium rubidium oxyfluoro vanadate (DAROFV) 205

TA
Thermal decomposition of zinc–iron citrate precursor 219
Temperature programmed desorption (TPD)
Thermogravimetric studies on temperature programmed desorption of probe molecules from dealuminated clinoptilolite 193
Ternary system
Vapor–liquid equilibria in the ternary system 1-bromopropane + 1-chlorobutane + cyclohexane 105
TG-FTIR
TG-FTIR coupled analysis applied to the studies in urolithiasis: characterization of human renal calculi 75
Thermal analysis
Development of the simultaneous thermal analysis/X-ray scattering measurement system 173
Preparation of copper niobates by thermal decomposition of freeze-dried complex oxalate solutions 67
Thermal analysis of the crystallization of SAPO-5 59
Thermal decomposition
Mode of thermal decomposition of diammonium lithium oxyfluoro vanadate (DALOFV) and diammonium rubidium oxyfluoro vanadate (DAROFV) 205
Thermodynamic parameters
A kinetic study of the oxidation of L-ascorbic acid (vitamin C) in solution using an isothermal microcalorimeter 27
Thermogravimetry
Correlation of nickel extraction with iron reduction in oxidic nickel ore by a thermogravimetric method 185
The effect of thiocyanates on the hydration of portland cement at low temperatures 157
Thiocyanates
The effect of thiocyanates on the hydration of portland cement at low temperatures 157

Urolithiasis
TG-FTIR coupled analysis applied to the studies in urolithiasis: characterization of human renal calculi 75

VLE
Vapor–liquid equilibria in the ternary system 1-bromopropane + 1-chlorobutane + cyclohexane 105

Wide angle X-ray diffractometer
Development of the simultaneous thermal analysis/ X-ray scattering measurement system 173
Wisniak–Tamir equation
Vapor–liquid equilibria in the ternary system 1-bromopropane + 1-chlorobutane + cyclohexane 105

X-ray scattering
Development of the simultaneous thermal analysis/X-ray scattering measurement system 173